

TABLE OF CONTENTS

DISCLAIMER	ii
ACKNOWLEDGMENTS	iii
EXECUTIVE SUMMARY	v
TABLE OF CONTENTS	xi
INTRODUCTION	1
Recovery Unit Designation	1
Geographic Description	5
DISTRIBUTION AND ABUNDANCE	20
Historical Status	20
Status of Bull Trout At The Time Of Listing	23
Current Distribution and Abundance	24
REASONS FOR BULL TROUT DECLINE	41
Dams	41
Forest Management Practices	44
Livestock Grazing	45
Agricultural Practices	45
Transportation Networks	51
Mining	51
Residential Development and Urbanization	52
Fisheries Management	53
Isolation and Habitat Fragmentation	64
ONGOING RECOVERY UNIT CONSERVATION MEASURES	69
State of Montana	73

STRATEGY FOR RECOVERY	75
Recovery Goals and Objectives	79
Recovery Criteria	85
Monitoring Strategy	89
 ACTIONS NEEDED	 92
Recovery Measures Narrative	92
 IMPLEMENTATION SCHEDULE	 108
 REFERENCES	 124
 APPENDIX A: Common and Scientific Names of Fishes	 133
 APPENDIX B: List of Chapters	 134

LIST OF FIGURES

Figure 1. Bull trout recovery units in the United States. The Saint Mary Belly River Recovery Unit is in the upper right corner	2
Figure 2. Detailed map of the Saint Mary - Belly River Bull Trout Recovery Unit, showing major watersheds and core areas in the United States	3
Figure 3. Schematic map of the Saint Mary River and Belly River watersheds in the United States and Canada	5

LIST OF TABLES

Table 1.	Mean monthly streamflow in Swiftcurrent Creek, downstream of the dam, for the 89-year period of record (USGS 2002)	13
Table 2.	Number of adult-sized bull trout trapped in five tributary streams of the Saint Mary River drainage during late August through late October, 1997 through 2000	29
Table 3.	List of bull trout local populations by core area in the Saint Mary - Belly River Recovery Unit	80
Table 4.	Numeric standards necessary to achieve recovered abundance of bull trout in core areas of the Saint Mary - Belly River Recovery Unit.	92